


# NOVIRA 6-row

New BYDV-resistant variety



### Advantages:

- BYDV-resistant variety with same yield potential like conventional barley
- Earlier heading and maturity, variety with mid plant height and straw stability
- Medium hectolitre weight, improved grading >2,2 mm (compared with TRAVIRA)

### Cultivation:

For warm-humid and early sowing areas with high content of maize on neighbour fields (aphids as vector of virus)

### Short profile:

---- = very low resistance/early/short,

++++ = very high resistance/late/long

#### Plant Development

Maturity



#### Vitality

Lodging resistance



Drought resistance



Necking resistance



#### Plant Health

Mildew



Brown rust



#### Quality

Hectolitre weight



# NOVIRA 6-row

New BYDV-resistant variety

## Plant development and vitality:

Ear emergence	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
Maturity	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
Winter hardiness	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
Drought resistance	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>

## Yield structure:

Ears/m <sup>2</sup>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
Grains/ear	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>
TGW	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>	<div></div>

## Sowing:

Time of sowing	20th of September until 25th of October
Seed rate	local adepcted

## Straw:

Plant height	(5) medium
Lodging resistance	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Necking resistance	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Plant growth regulators	adapted

## Disease resistance:

BaYDV	Yes
BaYMV1/BaMMV	Yes
Mildew	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Net blotch	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Rhynchosporium	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Brown rust	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>

## Quality:

Grading (> 2,2 mm)	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Hectolitre weight	<div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div>
Raw protein content	(2) low to very low