LENNOX E

Superior quality, high tolerance against rust diseases, flexible time of sowing



Advantages:

- High yield combined with premium baking quality
- Good lodging resistance, healthy leafes
- Optimum yield potential after late autumn sowing

Cultivation:

Premium wheat production after late harvest crops. Wide sowing time from middle of october to April.

Short profile:

Short prome.		
	= very low resistance/early/short,	++++ = very high resistance/late/long
Plant Development		
Maturity		
Vitality		
Winter hardiness	medium	
Drought resistance	high	
Lodging resistance		
Plant Health		
Fusarium		
Quality		
Hagberg / Falling number		
Protein content		

Breeder: Strube Research GmbH & Co.KG, Germany Version: 11.05.2020 / 1.00



LENNOX E

Superior quality, high tolerance against rust diseases, flexible time of sowing

Plant development and vitality:		
Ear emergence		
Maturity		
Winter hardiness	medium	
Drought resistance	high	
Yield structure:		
Yield structure	Ear density type	
Ears/m ²		
Grains/ear		
TGW		
Sowing:		
Time of sowing	15th of October till end of March	
Seed rate	locally adapted	
Straw:		
Plant height	short	
Lodging resistance		
Plant growth regulator	slightly lower	
Disease resistance:		
Mildew		
Septoria leaf bloch		
Yellow rust		
Brown rust		
DTR		

Breeder: Strube Research GmbH & Co.KG, Germany Version: 11.05.2020 / 1.00



Fusarium

Quality:

Flour extraction
Loaf volume

LENNOX E

Superior quality, high tolerance against rust diseases, flexible time of sowing

Hagberg / Falling number Hagberg stability Zeleny / Sedimentation value Protein content Water absorption

Breeder: Strube Research GmbH & Co.KG, Germany



Version: 11.05.2020 / 1.00