

ZORRO **Black hulled**

Oat for feeding



Advantages:

- Black hulled oat with yield level comparable to proved yellow-hulled varieties
- Medium early variety with slower straw ripening
- Variety with high to very high mildew resistance and high brackling resistance
- Best tolerance against fusarium and ustilago avenae

Cultivation:

Appreciate by horse breeders. Timely sowing adapted PGR is recommended.

Short profile:

---- = very low resistance/early/short,

++++ = very high resistance/late/long

Straw maturity	delayed
Lodging resistance	
Mildew	
Quality	
Grading (> 2,0 mm)	
Hectolitre weight	

ZORRO Black hulled

Oat for feeding

Plant development and vitality:

Panicle emergence	
Maturity	
Straw maturity	delayed

Yield structure:

Panicles/m ²	
Grains/panicle	
TGW	

Sowing:

Time of sowing	end of February until middle of April
Seed rate	locally adapted

Straw:

Plant height	short to medium
Lodging resistance	
Stem brackling resistance	

Disease resistance:

Mildew	
Crown rust	
Leaf spots	
Septoria	

Plant protection:

Fungicides	profitable under very high disease
Insecticides	follow official recommendation

Quality:

Grading (> 2,0 mm)	
Hectolitre weight	
Kernel content	